Essex County Soil and Water Conservation District

PO Box 407
3 Sisco Street
Westport, NY 12993
Phone: 518-962-8225
www.essexcountyswcd.org

NOTICE TO BIDDERS

NOTICE IS HEREBY GIVEN, that the Undersigned, on behalf of the Essex County Soil and Water Conservation District Board of Directors will accept sealed bids until September 16, 2026 at 2:30 PM for a **Used** Honda GX390 Horizontal Engine. This engine was on the District's post pounder for several years and was replaced.

Specifications are available by contacting the Soil and Water Conservation District office, PO Box 407, 6 Fairground Way 1St Floor, Westport, NY 12993, or by calling 518-962-8225.

The engine may be seen by calling for an appointment weekdays between 7:30 AM and 4:00 PM.

Sealed bids will be received at the Essex County Soil and Water Conservation District office, PO Box 407, 6 Fairground Way 1st Floor, Westport, NY 12993 until September 16th, 2026 at 2:30 PM. Bids will be publicly opened and awarded at the regular Board meeting September 17, 2026 at 7:45 AM.

All bids submitted in response to this notice shall be marked "SEALED BID – Honda GX390" clearly on the outside of the envelope.

Essex County Soil and Water Conservation District reserves the right to reject any and all bids not considered to be in the best interest of the District and to waive any technical or formal defect in the bids which is considered by Essex County Soil and Water Conservation District to be merely irregular, immaterial, or insubstantial.

PLEASE TAKE FURTHER NOTICE that Essex County Soil and Water Conservation District affirmatively states that in regard to any contract entered into pursuant to this notice, without regard to race, color, sex, religion, age, national origin, disability, sexual preference or Vietnam Era veteran status, disadvantaged and minority or women-owned business enterprises will be afforded equal opportunity to submit bids in response hereto.

Dated: September 01, 2026

ENGINE BRAND	Honda
POWER OUTPUT	11.7 HP @ 3600 RPM
TORQUE	19.5 lb-ft (26.5 Nm) @ 2500 rpm
CRANKSHAFT ORIENTATION	Horizontal
CRANKSHAFT TYPE	Straight
CRANKSHAFT DIAMETER	1"
CRANKSHAFT LENGTH	3-31/64"
END TAPPED SIZE	3/8-24UNF 2BTAP
KEYWAY	1/4"
ROTATION DIRECTION	Counter-Clockwise
STARTER TYPE	Recoil
CARBURETOR	Butterfly Float
NUMBER OF CYLINDERS	One
CYLINDER BORE	Cast Iron Sleeve
AIR CLEANER	Dual Element
CARBURETOR	Butterfly Float
FUEL	Unleaded 86 Octane or Higher
GOVERNOR SYSTEM	Centrifugal Mass
CONTROLS	Manual Choke, Manual (Rod) Throttle
BORE x STROKE	88mm x 64mm
COMPRESSION RATIO	8.2 : 1

With the GX390, you're looking at one of the best engines in the business. Powerful, reliable, durable and quiet. Honda's GX Series is power you can trust, and then some.

*This engine is commonly used for, but not limited to, these applications-Chipper Shredders, Concrete Saws, Grain Augers, Hydraulic Pumps, Lawn Sprayers, Leaf Blowers, Lawn Vacuums, Log Splitters, Overseeders, Pressure Washers, Stucco/Mortar Mixers, Transport Augers

*Engine has pull cord kick back when starting